

ITEMS	Specification	Federal	ICT	AJK	CDA	FATA	GB	Total Unit / Target
Executive Chairs	Size 425*425*900 mm High: <b>Executive Chairs:</b> Size 425*425*900 mm High: Chair in solid sheesham wood framing & inner framing. Including upholstery in leatherite. Cushioning & finishing wood surface in sheesham polish.	5	-	-	-	-	-	5
Chairs	Imported high back special quality double arm wooden special heavy duty base with wheel caster imported jack lift.		40	40	40	40	40	200
Executive Table	<b>Executive Table: Size1800*900*750MMH</b> <b>RACK SIZE 1000*430*750MM HH</b> All frame solid sheesham wood/v in board / lamination sheet. One side drawer trolley with three drawers with central locking system, all edges made of solid wood with molding design, fine ICI lacquer polishing.		2	2	2	2	2	10
Computer Table	<b>Computer Table: Size 28*18*20:</b> All frame solid sheesham wood/v in board / lamination sheet. One side drawer trolley with three drawers with central locking system, all edges made of solid wood with molding design, fine ICI lacquer polishing.		20	20	20	20	20	100
Table Wooden	<b>Table Wooden :Size 48*18*30:</b> All frame solid sheesham wood/v in board / lamination sheet. One side drawer trolley with three drawers with central locking system, all edges made of solid wood with molding design, fine ICI lacquer polishing.		10	10	10	10	10	50

Chairs for Conference Room	<b>Chairs for Conference Room :</b> Imported high back special quality double arm wooden special heavy duty base with wheel caster imported jack lift .		72	72	72	72	72	360
Tables for Conference Room	<b>Tables for Conference Room:</b> 8400*1800*750 MM Size Meeting table size length 14feet width 5feet complete made of 17mm imported MDF with PVC memberence table top 1 mdf base with PVC edge banding on edges.		6	6	6	6	6	30
Sound System for Conference Room	<b>Sound System for Conference Room</b> Latest Model , or Equivalent 1* 24		1	1	1	1	1	5
File Rack Cabinets	<b>File Rack Cabinets</b> <b>File Rack/Cabinets:</b> Wooden file rack with small shutter bottom. Standard size Ash veneer with special NC Lacquer polish.		80	80	80	80	80	400

Technical Specification Section-8

**Sound System for Conference Room**

5

Wireless Discussion/Conference System With Touchscreen Basic Supportive Devices

Supply voltage (battery pack)	7.5 Vdc
Power consumption	4.5 W
Operating time DCNM-WD	> 24 hours (20% speech, 80% listening)
Operating time DCNM-WDE	> 20 hours (20% speech, 80% listening)
Frequency response	100 Hz – 20 kHz(-3 dB at nominal level)
THD at nominal level	< 0.1 %
Dynamic range	> 90 dB
Signal-to-noise ratio	> 90 dB
Headphone load impedance	> 32 ohm <1k ohm
Headphone output power	15 mW
WiFi standard	IEEE 802.11n
Frequency Range	2.4 GHz and 5 GHz (ISM license free)
Nominal microphone input	80 dB SPL according IEC60914
Maximum microphone input	110 dB SPL according IEC60914
Loudspeaker nominal output	72 dB SPL at 0.5 m
Loudspeaker maximum output	80 dB SPL
Headphone nominal output	0 dBV
Headphone maximum output	3 dBV
Screen size(DCNM-WDE only)	4.3 Inch
Screen type(DCNM-WDE only)	Capacitive multi-touch
Supported contactless NFC tag(DCNM-WDE only)	According to: ISO/IEC14443 Type A (from 106 kbps to 848 kbps. MIFARE 106kbps).
Mounting	Tabletop
Dimensions (H x W x D) without microphone	72 x 259 x 139 mm (2.8 x 10.2 x 5.5 in)